

Message

---

**From:** [Nonresponsive based on revised scope]@erllc.com]  
**Sent:** 3/25/2020 8:32:39 AM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]  
**Subject:** TSCA Debris and poly  
**Attachments:** [Nonresponsive based on revised scope].vcf

Chris,

Concerning the TSCA debris onsite to include the poly that was generated yesterday moving the TSCA pile and other piles of poly onsite I have a suggestion for you. After reviewing the invoices for the TSCA debris we have macro encapsulated at CWM we are [Nonresponsive based on revised scope] I will double check this #. We do have \$ to ship 2 additional roll offs if we wish. These roll offs would be loaded with debris from the debris pile and all the large pieces of poly we have onsite.

Let me know your thoughts.  
Thanks

**Nonresponsive based on revised scope**

Fax (636) 680-2545  
Shiloh Church Road Site (3-S467)  
17018 LP, Bailey Memorial Highway  
Nathalie, VA 24577  
[www.erllc.com](http://www.erllc.com)

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.